

# CONCUSSION CHECKLIST

(Revision #3)

Name: \_\_\_\_\_ Age: \_\_\_\_\_ Grade: \_\_\_\_\_ Sport: \_\_\_\_\_

Date of Injury: \_\_\_\_\_ Time of Injury: \_\_\_\_\_

## On Site Evaluation

Description of Injury: \_\_\_\_\_

Has the athlete ever had a concussion?	Yes	No	
Was there a loss of consciousness?	Yes	No	Unclear
Does he/she remember the injury?	Yes	No	Unclear
Does he/she have confusion after the injury?	Yes	No	Unclear

## Symptoms observed at time of injury:

Dizziness	Yes	No	Headache	Yes	No
ringing in Ears	Yes	No	Nausea/Vomiting	Yes	No
Drowsy/Sleepy	Yes	No	Fatigue/Low Energy	Yes	No
“Don’t Feel Right”	Yes	No	Feeling “Dazed”	Yes	No
Seizure	Yes	No	Poor Balance/Coord.	Yes	No
Memory Problems	Yes	No	Loss of Orientation	Yes	No
Blurred Vision	Yes	No	Sensitivity to Light	Yes	No
Vacant Stare/ Glassy Eyed	Yes	No	Sensitivity to Noise	Yes	No

\* Please circle yes or no for each symptom listed above.

Other Findings/Comments: \_\_\_\_\_

Final Action Taken: \_\_\_\_\_ Parents Notified \_\_\_\_\_ Sent to Hospital \_\_\_\_\_

Evaluator’s Signature: \_\_\_\_\_ Title: \_\_\_\_\_

Address: \_\_\_\_\_ Date: \_\_\_\_\_ Phone No.: \_\_\_\_\_

**Physician Evaluation**  
(Revision #3)

**Date of First Evaluation:** \_\_\_\_\_

**Time of Evaluation:** \_\_\_\_\_

**Date of Second Evaluation:** \_\_\_\_\_

**Time of Evaluation:** \_\_\_\_\_

<b>Symptoms Observed:</b>	<b>First Doctor Visit</b>		<b>Second Doctor Visit</b>	
	Yes	No	Yes	No
Dizziness	Yes	No	Yes	No
Headache	Yes	No	Yes	No
Tinnitus	Yes	No	Yes	No
Nausea	Yes	No	Yes	No
Fatigue	Yes	No	Yes	No
Drowsy/Sleepy	Yes	No	Yes	No
Sensitivity to Light	Yes	No	Yes	No
Sensitivity to Noise	Yes	No	Yes	No
Anterograde Amnesia (after impact)	Yes	No	N/A	N/A
Retrograde Amnesia (backwards in time from impact)	Yes	No	N/A	N/A

\* Please indicate yes or no in your respective columns. First Doctor use column 1 and second Doctor use column 2.

**First Doctor Visit:**

**Did the athlete sustain a concussion? (Yes or No)** (one or the other must be circled)

**\*\* Post-dated releases will not be accepted. The athlete must be seen and released on the same day.**

**Please note that if there is a history of previous concussion, then referral for professional management by a specialist or concussion clinic should be strongly considered.**

Additional Findings/Comments: \_\_\_\_\_

Recommendations/Limitations: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Print or stamp name: \_\_\_\_\_ Phone number: \_\_\_\_\_

---

**Second Doctor Visit:**

**\*\*\* Athlete must be completely symptom free in order to begin the return to play progression. If athlete still has symptoms more than seven days after injury, referral to a concussion specialist/clinic should be strongly considered.**

Please check one of the following:

- Athlete is asymptomatic and is ready to begin the return to play progression.
- Athlete is still symptomatic more than seven days after injury.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Print or stamp name: \_\_\_\_\_ Phone number: \_\_\_\_\_

## **Return to play Protocol following a concussion.**

The following protocol has been established in accordance to the National Federation of State High School Associations and the International Conference on Concussion in Sport, Prague 2004.

When an athlete shows **ANY** signs or symptoms of a concussion:

1. The athlete will not be allowed to return to play in the current game or practice.
2. The athlete should not be left alone, and regular monitoring for deterioration is essential over the initial few hours following injury.
3. The athlete should be medically evaluated following the injury.
4. Return to play must follow a medically supervised stepwise process.

The cornerstone of proper concussion management is rest until all symptoms resolve and then a graded program of exertion before return to sport. The program is broken down into six steps in which only one step is covered a day. The six steps involve the following:

1. No exertional activity until asymptomatic for seven consecutive days.
2. Light aerobic exercise such as walking or stationary bike, etc. No resistance training.
3. Sport specific exercise such as skating, running, etc. Progressive addition of resistance training may begin.
4. Non-contact training/skill drills.
5. Full contact training in practice setting.
6. Return to competition

If any concussion symptoms recur, the athlete should drop back to the previous level and try to progress after 24 hours of rest.

The student-athlete should also be monitored for recurrence of symptoms due to mental exertion, such as reading, working on a computer, or taking a test.